

Pertussis Cases and Incidence Rates^a in Texas by County, 2006-2014

County	Year																	
	2006		2007		2008		2009		2010		2011		2012		2013		2014	
	Cases	IR	Cases	IR	Cases	IR	Cases	IR	Cases	IR	Cases	IR	Cases	IR	Cases	IR	Cases	IR
Wharton	0	0.0	0	0.0	1	2.4	2	4.7	4	9.1	2	4.5	7	15.8	2	4.5	0	0.0
Wheeler	1	19.7	0	0.0	0	0.0	1	19.2	1	19.5	0	0.0	0	0.0	0	0.0	0	0.0
Wichita	0	0.0	1	0.8	6	4.6	1	0.7	0	0.0	0	0.0	14	11.0	2	1.6	1	0.8
Wilbarger	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.5	1	6.5
Willacy	1	4.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	9.0	6	26.7	0	0.0
Williamson	110	31.4	109	29.4	72	18.4	1060	259.7	725	166.5	92	20.1	85	17.6	94	18.5	74	13.9
Wilson	7	17.9	4	9.9	3	7.3	0	0.0	1	2.2	0	0.0	1	2.1	0	0.0	5	9.7
Winkler	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	77.7	1	15.8	0	0.0
Wise	0	0.0	1	1.7	14	23.9	2	3.4	2	3.2	0	0.0	3	4.7	11	16.7	13	19.3
Wood	1	2.4	0	0.0	1	2.4	1	2.3	2	4.5	1	2.2	3	6.5	4	8.5	1	2.1
Yoakum	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	35.1	0	0.0
Young	0	0.0	0	0.0	3	16.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	10.6
Zapata	0	0.0	0	0.0	1	7.0	0	0.0	0	0.0	0	0.0	1	6.3	1	6.1	0	0.0
Zavala	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
State of Texas	954	4.1	1051	4.4	2046	8.4	3358	13.5	2848	11.3	961	3.7	2218	8.4	3985	14.8	2576	9.4

^aIncidence rates (IR) calculated per 100,000 population. Estimated population used for 2006-2008 and projected used for 2009-2014.